

По вопросам продаж и поддержки обращайтесь:

**Алматы** (7273)495-231  
**Ангарск** (3955)60-70-56  
**Архангельск** (8182)63-90-72  
**Астрахань** (8512)99-46-04  
**Барнаул** (3852)73-04-60  
**Белгород** (4722)40-23-64  
**Благовещенск** (4162)22-76-07  
**Брянск** (4832)59-03-52  
**Владивосток** (423)249-28-31  
**Владикавказ** (8672)28-90-48  
**Владимир** (4922)49-43-18  
**Волгоград** (844)278-03-48  
**Вологда** (8172)26-41-59  
**Воронеж** (473)204-51-73  
**Екатеринбург** (343)384-55-89  
**Иваново** (4932)77-34-06  
**Ижевск** (3412)26-03-58  
**Иркутск** (395)279-98-46  
**Казань** (843)206-01-48

**Калининград** (4012)72-03-81  
**Калуга** (4842)92-23-67  
**Кемерово** (3842)65-04-62  
**Киров** (8332)68-02-04  
**Коломна** (4966)23-41-49  
**Кострома** (4942)77-07-48  
**Краснодар** (861)203-40-90  
**Красноярск** (391)204-63-61  
**Курган** (3522)50-90-47  
**Курск** (4712)77-13-04  
**Липецк** (4742)52-20-81  
**Магнитогорск** (3519)55-03-13  
**Москва** (495)268-04-70  
**Мурманск** (8152)59-64-93  
**Набережные Челны** (8552)20-53-41  
**Нижний Новгород** (831)429-08-12  
**Новокузнецк** (3843)20-46-81  
**Новосибирск** (383)227-86-73  
**Ноябрьск** (3496)41-32-12

**Омск** (3812)21-46-40  
**Орел** (4862)44-53-42  
**Оренбург** (3532)37-68-04  
**Пенза** (8412)22-31-16  
**Пермь** (342)205-81-47  
**Петрозаводск** (8142)55-98-37  
**Псков** (8112)59-10-37  
**Ростов-на-Дону** (863)308-18-15  
**Рязань** (4912)46-61-64  
**Самара** (846)206-03-16  
**Санкт-Петербург** (812)309-46-40  
**Саранск** (8342)22-96-24  
**Саратов** (845)249-38-78  
**Севастополь** (8692)22-31-93  
**Симферополь** (3652)67-13-56  
**Смоленск** (4812)29-41-54  
**Сочи** (862)225-72-31  
**Ставрополь** (8652)20-65-13  
**Сургут** (3462)77-98-35

**Сыктывкар** (8212)25-95-17  
**Тамбов** (4752)50-40-97  
**Тверь** (4822)63-31-35  
**Тольятти** (8482)63-91-07  
**Томск** (3822)98-41-53  
**Тула** (4872)33-79-87  
**Тюмень** (3452)66-21-18  
**Улан-Удэ** (3012)59-97-51  
**Ульяновск** (8422)24-23-59  
**Уфа** (347)229-48-12  
**Хабаровск** (4212)92-98-04  
**Чебоксары** (8352)28-53-07  
**Челябинск** (351)202-03-61  
**Череповец** (8202)49-02-64  
**Чита** (3022)38-34-83  
**Якутск** (4112)23-90-97  
**Ярославль** (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +7(7172)727-132

**Киргизия** +996(312)96-26-47

сайт: [www.honeywell.nt-rt.ru](http://www.honeywell.nt-rt.ru) || эл. почта: [hwn@nt-rt.ru](mailto:hwn@nt-rt.ru)

## ПРОЧИЕ ДАТЧИКИ

### Технические характеристики

### на LAS-SH10



# LAS-SH10 SeaHawk Controller

## Product Specification Sheet



## General

As a most cost-effective distance-read leak detection module, the SeaHawk can serve as a stand-alone leak detection and notification solution or provide a seamless and cost-efficient way to extend the capabilities of Building Management System (BMS).

When functioning as a stand-alone system, the SeaHawk monitors up to 3000 continuous meter of sensing cable.

The front panel of the unit features an audible alarm and visible LED status notification, as well as a 4-character LED that indicates the distance from the controller to the leak or cable contamination.


The SeaHawk can also be networked with a Modbus monitoring system, i.e. a modbus enabled BMS controller. This integration greatly increases the length of cable these appliances can monitor.

The SeaHawk retains its stand-alone features, while the appliance provides a centralized source of monitoring, communication, and notification capabilities.

## Features

- Stand-alone leak detection or integration into a modbus enabled BMS controller
- Accommodates up to 3000 continuous meter of sensing cable
- Modbus communication
- Audible and visible alarm notification
- Wall and DIN rail mountable
- Configurable by DIP switches or Modbus
- Cost efficient, easy-to-integrate leak detection solution
- Relay output for simple system integration

## System Diagram Example



## Technical Specifications

<b>Power</b>	An isolated power supply must be provided for the SeaHawk. A dedicated circuit breaker must also be provided within close proximity to the SeaHawk and clearly be marked as the disconnecting device for the SeaHawk leak detection controller. 12-24 V AC/DC ( $\pm 10\%$ ), 50-60 Hz - LAS-PSWA
<b>Accessories</b>	Included: leader cable and EOL terminator
<b>Output</b>	
<b>Relay</b>	1 Form C, 5 A resistive @ 30 VDC, 8 A resistive @ 250 VAC, Minimum load 10 mA @ 5 VDC (Signal)
<b>Inputs</b>	
<b>Leak Detection Cable</b>	Compatible with SeaHawk sensing cable (not included)
<b>Cable Input</b>	Requires 4.57 m leader cable and EOL terminator (included)
<b>Maximum Length</b>	3000 m
<b>Minimum Length</b>	11 m
<b>Detection Accuracy</b>	$\pm 0.6$ m +/- 0.5% of the total cable length
<b>Detection Repeatability</b>	$\pm 0.6$ m +/- 0.25% of the total cable length
<b>Detection Response Time</b>	5 to 990 sec. (selectable)
<b>Communication Ports</b>	
<b>EIA-485</b>	1200, 9600, or 38,400 baud, N2 (selectable); Parity: none, 8 data bits, 1 stop bit
<b>Protocols</b>	
<b>Modbus (RTU)</b>	Slave; RTU mode; Supports function codes 03, 04, 06 and 16 Master; RTU mode for integration with select RLE controllers or any Modbus master BMS/NMS. Addressable from 1 to 254.
<b>Alarm Notification</b>	
<b>Visible Alarm</b>	Red LED for leak alarm Yellow LED for cable contamination or fault 4-character LED displays distance or fault
<b>Audible Alarm</b>	85 dBA @ 0.6 m; re-sound configurable, 0 to 999 min.
<b>Front Panel Interface</b>	
<b>LED Indicators</b>	Six LED indicators: <ul style="list-style-type: none"> <li>• Red: Leak</li> <li>• Yellow: Cable Fault, Break, or Contamination</li> <li>• Green: Power On</li> <li>• Green: Measurements made in feet</li> <li>• Green: Measurements made in meters</li> </ul>
<b>Push Button</b>	• Green: Microamps of current on cable Test/Reset/Alarm Silence, cycle through device functions
<b>Operating Environment</b>	
<b>Temperature</b>	0 °C to 50 °C
<b>Humidity</b>	5% to 95% RH, non-condensing
<b>Altitude</b>	4500 m max.
<b>Storage Environment</b>	-20 °C to 70 °C
<b>Dimensions (WxHxD)</b>	71 mm x 109 mm x 61 mm
<b>Weight</b>	153 g
<b>Mounting</b>	Wall and DIN rail mountable
<b>Certifications</b>	CE; ETL listed: conforms to EN 61010-1; UL 61010-1, certified to CSA C22.2 NO. 61010-1; RoHS compliant



End-of-line terminator

Leader cable

## Leader Cable and End-of-Line (EOL) Terminator

The 4.57 m leader cable achieves easy connectivity with the SeaHawk leak detection controller. The EOL terminator connects to the end of the sensing cable to provide a complete circuit in a leak detection system. These two parts are necessary components for any SeaHawk leak detection system and are included with the SeaHawk leak detection controller.

<b>Connections</b>	<p>Number of Conductors Nominal: 4</p> <p>Insulation Thickness Nominal: 0.15 mm</p> <p>Jacket Thickness Nominal Outer Diameter: 0.25 mm / 3.07 mm</p> <p>Compatible with SeaHawk sensing cable (not included)</p> <p>AMP 4-pin circular receptacle</p>
<b>Standards</b>	NEC Article 725-CL2P, CMP, MPP
<b>Operating Environment</b>	<p>Temperature: 0 °C to 50 °C</p> <p>Humidity: 5% to 95% RH, non-condensing</p> <p>Altitude: 4500 m max.</p>
<b>Storage Environment</b>	-20 °C to 70 °C
<b>Medium for Detection</b>	Normal water (e.g. not de-ionized, distilled etc.) without oil and corrosive contaminants.
<b>Length</b>	4.57 m
<b>Weight</b>	120.2 g
<b>Certifications</b>	CE; RoHS compliant

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231  
 Ангарск (3955)60-70-56  
 Архангельск (8182)63-90-72  
 Астрахань (8512)99-46-04  
 Барнаул (3852)73-04-60  
 Белгород (4722)40-23-64  
 Благовещенск (4162)22-76-07  
 Брянск (4832)59-03-52  
 Владивосток (423)249-28-31  
 Владикавказ (8672)28-90-48  
 Владимир (4922)49-43-18  
 Волгоград (844)278-03-48  
 Вологда (8172)26-41-59  
 Воронеж (473)204-51-73  
 Екатеринбург (343)384-55-89  
 Иваново (4932)77-34-06  
 Ижевск (3412)26-03-58  
 Иркутск (395)279-98-46  
 Казань (843)206-01-48

Калининград (4012)72-03-81  
 Калуга (4842)92-23-67  
 Кемерово (3842)65-04-62  
 Киров (8332)68-02-04  
 Коломна (4966)23-41-49  
 Кострома (4942)77-07-48  
 Краснодар (861)203-40-90  
 Красноярск (391)204-63-61  
 Курган (3522)50-90-47  
 Курск (4712)77-13-04  
 Липецк (4742)52-20-81  
 Магнитогорск (3519)55-03-13  
 Москва (495)268-04-70  
 Мурманск (8152)59-64-93  
 Набережные Челны (8552)20-53-41  
 Нижний Новгород (831)429-08-12  
 Новокузнецк (3843)20-46-81  
 Новосибирск (383)227-86-73  
 Ноябрьск (3496)41-32-12

Омск (3812)21-46-40  
 Орел (4862)44-53-42  
 Оренбург (3532)37-68-04  
 Пенза (8412)22-31-16  
 Пермь (342)205-81-47  
 Петрозаводск (8142)55-98-37  
 Псков (8112)59-10-37  
 Ростов-на-Дону (863)308-18-15  
 Рязань (4912)46-61-64  
 Самара (846)206-03-16  
 Санкт-Петербург (812)309-46-40  
 Саранск (8342)22-96-24  
 Саратов (845)249-38-78  
 Севастополь (8692)22-31-93  
 Симферополь (3652)67-13-56  
 Смоленск (4812)29-41-54  
 Сочи (862)225-72-31  
 Ставрополь (8652)20-65-13  
 Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17  
 Тамбов (4752)50-40-97  
 Тверь (4822)63-31-35  
 Тольятти (8482)63-91-07  
 Томск (3822)98-41-53  
 Тула (4872)33-79-87  
 Тюмень (3452)66-21-18  
 Улан-Удэ (3012)59-97-51  
 Ульяновск (8422)24-23-59  
 Уфа (347)229-48-12  
 Хабаровск (4212)92-98-04  
 Чебоксары (8352)28-53-07  
 Челябинск (351)202-03-61  
 Череповец (8202)49-02-64  
 Чита (3022)38-34-83  
 Якутск (4112)23-90-97  
 Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

сайт: [www.honeywell.nt-rt.ru](http://www.honeywell.nt-rt.ru) || эл. почта: [hwn@nt-rt.ru](mailto:hwn@nt-rt.ru)